

INSTRUCTIONS FOR: MINI LASER LEVEL UNIT

MODEL No: AK9999.V3

Thank you for purchasing a Sealey Product. Manufactured to a high standard this product will, if used according to these instructions and properly maintained, give you years of trouble free performance.



PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS AND CAUTIONS, USE THIS PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. PLEASE KEEP INSTRUCTIONS SAFE FOR FUTURE USE.

1. SAFETY


- 1.1. GENERAL SAFETY. Read instructions carefully before using the laser level.
- ¥ DO NOT use this device in direct sunlight.
- × DO NOT allow the level to get wet.
- DO NOT allow unqualified persons or children to operate this device. ×
- 1.2. LASER SAFETY. The AK9999.V3 utilises a Class II laser that emits a low level of visible radiation (i.e. a wavelength of 650 nanometres) which is safe for the skin but not inherently safe for the eves. The Class II emission limit is set at the maximum level for which eye protection is normally afforded by natural aversion responses to bright light. Accidental eye exposure is therefore normally safe, although the natural aversion response can be overridden by deliberately staring into the beam, and can also be influenced by the use of alcohol or drugs.
- DO NOT direct the laser beam at any person's (or animal's) eyes as eye damage could result. ×
- DO NOT operate the laser level when you are tired or under the influence of alcohol, drugs or ¥ intoxicating medication.
- Be aware that reflections of the laser beam from mirrors or other shiny surfaces can be as hazardous as direct eye exposure.

2. INTRODUCTION & SPECIFICATION

Approved by VOSA for the calibration of Sealey HBS97 Headlamp Beam Setter. Mini tripod can be placed on bonnet or any surface of the test area. Laser dot indicates if beam setter is in or out of calibration. Also suitable for other levelling applications and features a magnet on base for attaching to ferrous surfaces.

SPECIFICATION:

| Model No: | AK9999.V3 |
|--------------|------------------|
| Laser Power: | ≤1mW |
| Wavelength: | |
| Accuracy: | |
| Batteries: | 2xAAA (Supplied) |




3. BATTERY INSTALLATION & REMOVAL

- 3.1. The battery compartment is opened by sliding the cover up and hingeing down as in fig. 1.
- 3.2. Insert the batteries as in fig.2, ensuring correct polarity.
- 3.3. Closing the battery compartment is the reverse of fig.1.







WARRANTY: Guarantee is 12 months from purchase date, proof of which will be required for any claim.

INFORMATION: For a copy of our latest catalogue and promotions call us on 01284 757525 and leave your full name and address, including postcode.



CEVIEN © Jack Sealey Limited Sole UK Distributor, Sealey Group, Kempson Way, Suffolk Bus Bury St. Edmunds, Suffolk, IP32 7AR

 O1284 757500
O1284 757500
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
O
 line 1284 703534 📇

0 www.sealey.co.uk sales@sealey.co.uk AK99999.V3 ISSUE:1 05/12/13

Original Language Version