SAFETY DATA SHEET



MIG WIRE COPPER SILICON BRONZE

MIG/4K/BW08.V2

1. SUPPLIER	Sealey Quality Machinery, Kempson Way, Suffolk Business Park, Bury St. Edmunds, Suffolk. IP32 7AR.	Telephone: Fax: E-mail: Web:	01284 757500 01284 703534 sales@sealey.co.uk www.sealey.co.uk			
2. APPLICATION	Product Name: MIG Wire Copper Silic Product Specification: C9 Grade. Product Classification: CuSi-3Mn1. Recommended use: MIG Brazing.	con Bronze.				
3. COMPOSITION/INFORMATION OF	Chemical composition:					
INGREDIENTS	Chemical name Symbol Cor Copper Cu Silicon Si Manganese Mn	mposition 95.49% 3.23% 0.82%				
4. HAZARD IDENTIFICATION	<text><text><section-header><text><text><text><text><text></text></text></text></text></text></section-header></text></text>					
5. FIRST AID MEASURES	Eyes: In case of overexposure to dusts or fumes, immediately flush eyes with plenty of water for at least 15 minutes occasionally lifting the eye lids. Seek medical attention if irritation persists. Thermal burns should be treated as medical emergencies.					
	Skin: In case of overexposure to dusts or particulates, wash with soap and plenty of water. Seek medical attention if irritation develops or persists.					

Ingestion: Seek medical aid. Do not induce vomiting.

Inhalation: If inhaled, remove to fresh air. Seek medical attention if symptoms develop.

6. FIRE-FIGHTING MEASURES	General Information: As in any fire, wear self-contained pressurised breathing apparatus and full protective gear. This material is not flammable. However, welding arc and sparks can ignite combustibles. Grinding or other machining operations can produce fine particulate dust that may explode in the presence of a strong ignition source. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.				
	Extinguishing Media: Never use water as an extinguishing agent around molten or smoldering metal. Water will react violently around any molten metal. Use dry chemical, CO_2 or sand.				
7. ACCIDENTAL RELEASE MEASURES	General Information: Use proper personal protective equipment as indicated in Section 9.				
	Spills/Leaks: Sweep up and place in suitable containers for recycle or disposal. Spilled or released at long industrial condition: Remove ignition sources, Keep away from heat and flame, evacuate area. Avoid breathing dust, vapour, smoke. Wear protective equipment. Shut off source of the leak only if it is easy to do so. Keep spilled material out of sewers, ditches and bodies of water.				
8. STORAGE AND HANDLING	Handling: In accordance with good industrial practice, handle with care and avoid unnecessary personal contact. Wash thoroughly after handling. Use with adequate ventilation. Minimise dust generation and accumulation. Do not eat, drink or smoke while handling the product. Keep away from sources of ignition.				
	Storage: Keep away from heat and flame. Store in a cool, dry place away from incompatible substances.				
9. EXPOSURE CONTROLS/PERSONAL PROTECTION	Engineering Controls: Facilities storing or utilising this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Individual Protection for Industrial Use:				
	Eyes: Wear appropriate protective eye glasses or chemical safety goggles.				
	Skin: For prolonged or repeated contact, use protective gloves.				
	Clothing: Choose body protection according to the amount and concentration of the dangerous substance in the workplace.				
	Respirators: Follow the European Standard EN 149. Use a European Standard EN 149 approved respirator if exposure limits are exceeded, or if irritation or other symptoms are experienced.				
10. PHYSICAL & CHEMICAL PROPERTIES	Physical State: Colour: Odour: pH: Vapour Pressure: Boiling Point: Melting Point: Auto-ignition Temperature: Flash Point: Explosion Limits - Lower: Explosion Limits - Upper: Decomposition Temperature: Solubility in water: Specific Gravity/Density:	Wire Yellow Odourless Not available Not available 1800°F Not available Not applicable Not applicable Not applicable Not applicable Insoluble 8.5 g/cm ³			
11. STABILITY & REACTIVITY	STABILITY & REACTIVITY Chemical stability: Stable under normal temperatures and pressures.				
	Conditions to avoid: Incomp	litions to avoid: Incompatible materials, ignition sources, excessive heat.			

Incompatibilities with other materials: Strong oxidising agents, mineral acids.

Hazardous decomposition products: Metallic dust or fumes may be produced during welding, burning, grinding and possibly machining.

Hazardous polymerisation: Will not occur.

13. ECOLOGICAL INFORMATION	Ecotoxicity:				
14. DISPOSAL CONSIDERATIONS	Dispose of in a manner of	consistent with loc	al, national and E	U / International regulations.	
15. TRANSPORT INFORMATION	Proper shipping name: Hazard class: Un number: Packing group:	IATA Not regulated - -	IMDG Not regulated - -	RID/ADR Not regulated - -	
16. REGULATORY INFORMATION	Reference to local, national and EU / international regulations. Hazard Symbols: Not available				
	Risk Phrases: Not available				
	Safety Phrases: S 16 Keep away from sources of ignition. S 22 Do not breathe dust.				
16. ADDITIONAL INFORMATION	The above information is based on the data of which we are aware and is believed to be correas of the date hereof. Since this information may be applied under conditions beyond our				

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and which may be unfamiliar, and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make their own determination of the suitability of the material for their particular purpose.