

EAR DEFENDERS MODEL No: SSP18, SSP18F

INSTRUCTIONS FOR

Thank you for purchasing a Sealey Product. Manufactured to a high standard this product will, if used according to these instructions and properly maintained, give you years of trouble free performance.



IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS AND CAUTIONS. USE THIS PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY, AND WILL INVALIDATE THE WARRANTY. PLEASE KEEP INSTRUCTIONS SAFE FOR FUTURE USE.

1. SAFETY INSTRUCTIONS

1.1. GENERAL SAFETY

- □ WARNING! Put the ear defenders on before exposing yourself to noise and wear at all times during exposure to excess noise levels.
- ✓ Before use, check that the ear defenders will provide the required level of noise attenuation. Please see Attenuation table overleaf.
- ✓ Inspect the ear defenders to ensure there are no tears or snags and that they are in good condition.

1.2. PERSONAL PRECAUTIONS

✓ Ensure there is another person within sight close enough to come to your aid should a problem arise when working.

2. APPLICATION

2.1 When worn properly and given adequate care, the SSP18 and SSP18F provide excellent protection which filters the high levels of noise that are encountered in an industrial environment.

3. USE

- WARNING! These ear defenders are of <u>normal size range</u> complying with BSEN352-1. They are designed to fit the majority of wearers. If in doubt, seek professional advice.
- **3.1.** Extend the headband to maximum "open" position and place the cups over the ears with the headband passing over the head.
- **3.2.** Settle the headband in position on the head while adjusting the height of the ear cups until they feel comfortable and the headband rests on top of the head to support the muffs.
- **3.3.** The cushions should be a snug fit against the head.
- **3.4.** The pressure of the ear defenders against the head can be adjusted too by bending the headband thereby ensuring an effective noise seal.



Original Language Version

4. ATTENUATION VALUES

SSP18

 Frequency (Hz).
 63.
 125.
 250.
 500.
 1000.
 2000.
 4000.
 8000

 Mean Attentuation (dB).
 15.4.
 9.3.
 17.0.
 24.0.
 31.2.
 33.6.
 .37.9.
 .37.0

 Standard Deviation (dB).
 4.0.
 2.4.
 1.6.
 1.7.
 2.1.
 .2.5.
 4.6

SSP18F

 Frequency (Hz).
 63.
 125.
 250.
 500.
 1000.
 2000.
 4000.
 8000

 Mean Attentuation (dB).
 16.9.
 12.8.
 20.7.
 30.5.
 39.6.
 36.6.
 .38.4.
 38.2

 Standard Deviation (dB).
 4.2.
 2.2.
 .27.
 2.0.
 2.4.
 .1.9.
 .3.1.
 2.3

5. MAINTENANCE

- **5.1** The ear defenders should be disinfected every three months, according to use. Any part of the ear defender which comes into contact with the wearer should be disinfected.
- **5.2** Keep the ear defenders as clean as possible, washing in warm soapy water is recommended. Do not use organic solvents or alcohol for cleaning.
- **5.3** When not in use it is recommended to store the ear defenders in a clean, dry environment for optimum protection.



NOTE: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. IMPORTANT: No liability is accepted for incorrect use of this product. WARRANTY: Guarantee is 12 months from purchase date, proof of which will be required for any claim.

INFORMATION: For a copy of our latest catalogue and promotions call us on 01284 757525 and leave your full name and address, including postcode



1
4
Ć

🕋 01284 757500 🛛 🦓 www.sealey.co.uk

🖶 01284 703534 🛛 📷 sales@sealey.co.uk

Original Language Version

SSP18,SSP18F | Issue: 2 - 18/07/11